



# Super Broiler I.35

Starting and training phase for Borjlerek

## Supplementary feed

### Guaranteed content:

Moisture	max. 13.00 % Ca		2.70%
Crude protein	40.00 % Na		0.40%
Raw ash	14.70 % P		1.40%
Crude fiber	9.30 % Lysine		2.80%
Raw fat	3.40 % Magnesium		0.30%
Metabolic energy	8.40 MJ Threonine		1.40%
		Methionine	1.10%

**Composition:** Corn, soybean flour, soybean cake, peeled sunflower seed flour, calcium carbonate, monocalcium phosphate, sodium chloride, magnesium oxide.

### Additives:

**Technological additives:** BHT

(E321), Propyl-gallate (E310) 60.00 mg/kg, Binder: clinoptilolite of sedimentary origin (1g568) 6000.00 mg

### Additives with nutritional value:

Vitamin A (3a672a) 33300.00 IU, Vitamin D3 (3a671) 14300.00 IU, Vitamin E (3a700, a-tocopherol acetate) 156.00 mg/kg, Vitamin K3 (3a710) 8.00 mg/kg, vitamin B1 (3a821) 15.00 mg/kg, vitamin B2 (3a825) 23.00 mg/kg, B6-vitamin (3a831) 14.00 mg/kg, vitamin B12 (3a ) 1.40 mg/kg Ca-d-pantothenate (3a841) 44.00 mg/kg, niacin (3a314) 208.00 mg/kg, folic acid (3a316) 4.00 mg/kg, Biotin (3a880) 0.80 mg/kg, Choline chloride (3a890) 1760.00 mg/kg Cu (3b405, CuSO4) 42.00 mg/kg, Mn (3b503, MnSO4) 336.00 mg/kg, I (3b202, Ca(IO3)2) 3.00 mg/kg, Se (3b801, NaSe) 1.00 mg/kg, Fe (3b103, Fe2SO4) 112.00 mg/kg, Zn (3b603, ZnO) 280.00 mg/kg,

### Additives used in animal husbandry:

4a1640 6-phytase (EC 3.1.3.26) 2800.00 FTU

4a10 Subtilisin (EC 3.4.21.62) 8960.00 U

4a10 Alpha amylase (EC 3.2.1.1) 900.00 U

**Coccidiostat:** 5 1 775 Diclazuril Coxiril (Huvepharma-Bulgaria) 2.86 mg/kg

### Amino acids:

3c322 L-Lysine monohydrochloride 28000.00 mg/kg; 3c410 L-Threonine 14000.00 mg/kg; 3c301 DL Methionine 11000.00 mg/kg;

**Method of administration:** Super Broiler I. 35 supplementary feed, to supplement the feed of broilers. In the starting phase, 35 % (35 kg/100 kg of feed), in the rearing phase, 30 % (30 kg/100 kg of feed). Contains coccidiostat, use before slaughter from day 5 onwards is FORBIDDEN! It is forbidden to mix with other coccidiostats and to use together with Tiamulin! Dangerous for turkeys and ungulates!

Recipe suggestion:	Motive	Article
Corn	45%	50%
Wheat	20%	20%
Super Broiler I. 35	35%	30%
Total	100%	100%

+2-5 kg/tonne Minezel Plus

**Withdrawal period:** 5 days before slaughter! For feeding purposes only!

**GMO FREE!**

**Storage conditions:** It must be stored in a dry, dark and cool place, in a place protected against the penetration of rodents, insects, birds and other animals.

**Date of production:**  
DD/MM/YY

**Minimum**  
shelf life: 6 months  
**after production**

**Net**  
**crowd:**  
20 kg

**Item**  
**song:**



000000000000

### MANUFACTURER:

**PATENT Co. DOO**  
1A, Vlade yetkoviya  
24211 Mišijevu (Serbia)  
**Phone/Fax: +381 24 4760 001**  
Export control number:  
ÿRS30060

### Bar code



00000000000000

### Distributor / importer:

Vitacarb Kft  
6725 Szeged, HU  
Vadmacska u 16. fsz. 1.  
License number: ÿHU 05 4 00001  
Tax number: 24682732206  
e-mail: vitacarbkt@gmail.com